Unusual Security/Ventilation Measures:

- Alarm systems and large protective dogs.
- Baby room monitors being used outdoors.
- Video surveillance systems positioned to observe exterior of home.
- Elaborate fencing and heavy duty locks when it is not evident what is being secured.
- Numerous fans or industrial-type fans positioned to ventilate the home.

Additional Indicators of a Meth Lab:

- Numerous chemical containers, matchbooks with striker plates removed, abundance of cold tablet/diet pill containers.
- Reddish stained coffee filters, canning jars with multi-colored liquids, aquarium-type tubing used in bottles.
- Battery casings, crumpled/burnt foil.
- Windows blacked out or covered.
- People in and around meth manufacturing may exhibit respiratory irritation and/or chemical burns to skin.
- Continuous movement in and out of home.

If you suspect meth production, leave the home immediately and contact 911 and your supervisor.



FOR MORE INFORMATION CONTACT:

Division of Child and Family Services

4126 Technology Way 3rd Floor Carson City, NV 89706 (775) 684-4400 www.dcfs.state.nv.us

Carson City District Office 2533 N. Carson Street Carson City, NV 89706

(775) 684-1930

Elko District Office 1010 Ruby Vista Dr, Suite 101 Elko, NV 89801 (775) 753-1300

> Fallon District Office 1735 Kaiser Street Fallon, NV 89406 (775) 423-8566

Pahrump District Office 1780 E. Basin Ave. Ste 2 Pahrump, NV 89060 (775) 727-8497

Washoe County Department of Social Services

350 South Center Street Reno, NV 89520 (775) 785-8600 www.washoecounty.us/socsry

Clark County Department of Family Services

121 South Martin L. King Blvd. Las Vegas, NV 89106 (702) 455-5444 www.clarkcountyny.gov

Nevada Attorney General ag.nv.gov/About_Meth/



Designed by Systems Advocate Unit



Methamphetamine Protocols for Social Workers



Division Of Child & Family Services

A flood of incoming children whose methaddicted parents cannot care for them is straining state child-welfare systems. Complicating the problem is the fact that so many meth users live in rural areas, where social services are minimal.

Before You Go:

- Ensure that you have obtained as much information about your client as possible.
- If possible, canvas the area around the home's address. Assess potential safety concerns and take precautions.
- Communicate your schedule and likely route to your supervisor. Notify your office of your arrival.
- Carry only your ID, a cell phone and/or pager, and keys.
- Wear a name badge if you have one, but don't wear one around your neck. A clip on is best.

Upon Arrival:

- Park within direct sight of the home's entry.
 Park in a well lit, unobstructed area.
 park in the driveway of the home.
- As you exit your car, be attentive to people in the area and any unsecured dogs.
- Keep your hands as free as possible. Do not be distracted by talking on a cell phone.
- Have "911" ready to push on your cell phone.

Amphetamine/Methamphetamine Admissions to Substance Abuse Prevention and Treatment Agency (SAPTA) Programs by Age SFY 2014

Age Groups	Numbers of Admissions	Percent of SFY 2014 Admissions
17 and Below	50	1.5%
18 to 25	825	20.4%
26 to 44	2,450	60.8%
45 to 64	689	17.1%
65 and Older	8	0.2%
Total	4,022	100.0

Source: Division of Public and Behavioral Health SAPTA Methamphetamine Fact Sheet 2014

Safety During the Visit:

- Present yourself as calm, confident, observant, and in control.
- Position yourself between the client and an exit.
- Have an excuse to leave prepared in advance.
- Be aware of your surroundings and leave if your instincts tell you to.
- Pay particular attention to the client's protectiveness related to certain rooms of the home.
- Leave the home immediately if you smell chemicals.

Indicators of Meth Use:

- Dilated pupils
- Restlessness/agitation
- Paranoia and hallucinations
- Hyperactivity and compulsiveness
- Aggressiveness and violent behavior
- Talkativeness
- Convulsions
- Increased sweating/body odor
- Uncontrollable movements (twitching, jerking, etc...)
- Picking at skin/hair
- Impaired speech
- Dry, itchy skin
- Premature aging
- Rotting teeth
- Low body weight
- Acne, sores
- Shadows under eyes
- Chain Smoking



Possible Meth Lab Activity:

Of the more than 30 chemicals that can be used in various combinations to "cook" meth, onethird of them are extremely toxic. For every pound of meth produced, about five pounds of highly toxic waste are generated. This creates a dangerous and formidable working environment for social workers who are frequently called to homes where meth is used to investigate a report of child abuse or neglect.



Chemical Odors Associated with Meth Production:

- Ether-like: Aromatic, sweet odor often accompanied by a sweet taste. Sometimes described as a "hospital odor". **Nasal irritant.**
- Solvent-like sweet odor from common solvents used in paint thinners, paint removers, adhesives, and cleaning fluids. Type of odor often found in an auto body shop. Eye and nasal irritant.
- Ammonia-like: An intense, sharp, irritating odor similar but much stronger than that from wet diapers, glass cleaners, cattle feed-lots or fertilizers. Eye and nasal irritant.

